# CONTENTS

*(Abstracts/Contents Lists published in Analytical Abstracts, ASCA, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Current Contents/Physical, Chemical & Earth Sciences, Current Contents/Life Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Referativnyi Zhurnal and Science Citation Index)*

Obituary Edgar Lederer, 1908–1988 . . . . . 1

Chromatographic dispersion corrections utilizing the generalized exponential function
by R. D. Hester, R. A. Vaidya and J. P. Dickerson (Hattiesburg, MS, U.S.A.) (Received September 13th, 1988) . . . . . 3

An information theory of chromatography. I. Evaluation of analytical systems by means of *fumi*
by R. Matsuda, Y. Hayashi, M. Ishibashi and Y. Takeda (Tokyo, Japan) (Received September 19th, 1988) . . . . . 13

An information theory of chromatography. II. Application of *fumi* to the optimization of overlapped chromatograms
by R. Matsuda, Y. Hayashi, M. Ishibashi and Y. Takeda (Tokyo, Japan) (Received September 19th, 1988) . . . . . 23

Dispersion and selectivity indices in gas chromatography. III. Alkyl, $\omega$-chloroethyl and alkenyl benzoate and chlorobenzoate esters
by M. B. Evans (Hatfield, U.K.) and J. K. Haken (Kensington, Australia) (Received July 21st, 1988) . . . . . 31

Analysis and molar mass distribution of polyoxyethylene 4-alkylphenylamines
by M. Wiśniewski and J. Szymanowski (Poznań, Poland) and B. Atamańczuk (Kędzierzyn-Koźle, Poland) (Received August 19th, 1988) . . . . . 39

Gas chromatographic behaviour of carbohydrate trimethylsilyl ethers. II. Aldohexoses
by I. Martínez-Castro, M. I. Páez and J. Sanz (Madrid, Spain) and A. García-Raso (Palma de Mallorca, Spain) (Received August 23rd, 1988) . . . . . 49

Solute–solvent interactions of macroporous methacrylate ion exchangers in salt form studied by gas chromatography
by J. Hradil and F. Švec (Prague, Czechoslovakia) and N. D. Kakriashvili, M. N. Gogitidze and T. G. Andronikashvili (Tbilisi, U.S.S.R.) (Received September 7th, 1988) . . . . . 61

Behavior of simple salts on silica and $C_{18}$ columns. Retention dynamics of cations, anions and ion pairs
by L. G. Daignault, D. C. Jackman and D. P. Rillema (Charlotte, NC, U.S.A.) (Received July 22nd, 1988) . . . . . 71

External recycle chromatography: a practical method for preparative purifications
by J. R. Crary, K. Cain-Janicki and R. Wijayaratne (Skokie, IL, U.S.A.) (Received August 30th, 1988) . . . . . 85

Example of the concentration dependence of elution order in the resolution of enantiomers on microcrystalline triacetylcellulose chiral stationary phase
by C. Roussel, J.-L. Stein, F. Beauvais and A. Chemlal (Marseille, France) (Received September 9th, 1988) . . . . . 95

Bestimmung von Taurin: Einfluss der Coiltemperatur auf die Peakreinheit des Taurins
von D. Balschukat und H. Kunesch (Hanau, B.R.D.) (Eingegangen am 24. August 1988) . 105

Selection of conditions for the molecular size speciation of vanadium and nickel complexes in oil by size-exclusion chromatography coupled with inductively coupled plasma-atomic emission spectrometry
by W. A. J. de Waal, C. C. H. M. Kuiper, F. J. M. J. Maessen, J. C. Kraak, R. Wijnands and R. J. Jonker (Amsterdam, The Netherlands) (Received September 8th, 1988) . . . . . 115

*(Continued overleaf)*

*Contents (continued)*

Effects of pH on the formation of flavour compounds of disrupted garlic
by T.-H. Yu and C.-M. Wu (Hsinchu, Taiwan) (Received September 12th, 1988) . . . . 137

Adjustable aperture-width detector cell for on-column detection in capillary zone electrophoresis
by T. Wang and R. A. Hartwick (Piscataway, NJ, U.S.A.) and P. B. Champlin (Narragansett, RI, U.S.A.) (Received September 27th, 1988) . . . . . 147

Effect of particle treatment of composite filler on its interaction coefficient
by M. Dressler and M. Cigánek (Brno, Czechoslovakia) (Received September 19th, 1988) 155

Preparation and use of latex-coated resins for anion chromatography
by L. M. Warth and J. S. Fritz (Ames, IA, U.S.A.) and J. O. Naples (Spring House, PA, U.S.A.) (Received October 12th, 1988) . . . . . 165

Affinity separation with polyaldehyde microsphere beads
by S. Margel (Ramat-Gan, Israel) (Received September 15th, 1988) . . . . . 177

Chromatographic separation and purification of xenon-133
by Y. Jao, W.-L. Cheng and G. Ting (Lung-Tan, Taiwan) (Received September 13th, 1988) 191

Comparison of reversed-phase thin-layer and high-performance liquid chromatography of flavonoid compounds
by F. Dondi (Ferrara, Italy), G. Grassini-Strazza (Rome, Italy), Y. D. Kahie (Mogadishu, Somalia) and G. Lodi, C. Pietrogrande, P. Reschiglian and C. Bighi (Ferrara, Italy) (Received September 5th, 1988) . . . . . 205

Evaluation of the liquid chromatographic separation of monosaccharides, disaccharides, trisaccharides, tetrasaccharides, deoxysaccharides and sugar alcohols with stable cyclodextrin bonded phase columns
by D. W. Armstrong and H. L. Jin (Rolla, MO, U.S.A.) (Received September 30th, 1988) 219

High-performance liquid and gas chromatography of dialkylphosphates, dialkylthiophosphates and dialkyldithiophosphates as their pentafluorobenzyl derivatives
by V. Bardarov and M. Mitewa (Sofia, Bulgaria) (Received August 26th, 1988) . . . . . 233

Reversed-phase high-performance liquid chromatographic analyses of insulin biosynthesis in isolated rat and mouse islets
by S. Linde, J. H. Nielsen, B. Hansen and B. S. Welinder (Gentofte, Denmark) (Received June 28th, 1988) . . . . . 243

High-performance liquid chromatographic separation of membrane proteins isolated from erythrocyte ghosts
by B. S. Welinder, H. H. Sørensen and B. Hansen (Gentofte, Denmark) (Received September 22nd, 1988) . . . . . 255

Chromatographic and spectroscopic properties of hemiacetals of aflatoxin and sterigmatocystin metabolites
by D. L. Orti, J. Grainger, D. L. Ashley and R. H. Hill, Jr. (Atlanta, GA, U.S.A.) (Received October 11th, 1988) . . . . . 269

Determination of gallamine and its impurities by reversed-phase ion-pair high-performance liquid chromatography and comparison with thin-layer chromatography
by P. A. Mourier (Vitry-sur-Seine, France) (Received October 4th, 1988) . . . . . 281

Ion chromatography method for iminodiacetic acid determination in biological matrices in the presence of nitrilotriacetic acid
by R. P. Schneider, F. Zürcher, T. Egli and G. Hamer (Dübendorf, Switzerland) (Received September 27th, 1988) . . . . . 293

Mise au point d'une méthode par chromatographie liquide haute performance échangeuse d'ions en détection ultraviolette, pour le dosage des cations dans les sèves xylémiques
par B. Sarrobert, P. Brunet et N. Paris-Pireyre (Montpellier, France) (Reçu le 3 octobre 1988) . . . . . 303

Improvement of chemical analysis of antibiotics. XV. Isocratic high-performance liquid chromatographic methods for the analysis and preparative separation of the components of bacitracin
by H. Oka, Y. Ikai, N. Kawamura, M. Yamada, K.-I. Harada, Y. Yamazaki and M. Suzuki (Nagoya, Japan) (Received July 18th, 1988) . . . . . 315

Use of a post-column reaction and a spectrophotometric detector for the liquid chromatographic determination of water
by N. E. Fortier and J. S. Fritz (Ames, IA, U.S.A.) (Received September 19th, 1988) . . 323

Analysis of lupine alkaloids in plants by high-performance liquid chromatography
by K. Saito and K. Kobayashi (Chiba, Japan), S. Ohmiya and H. Otomasu (Tokyo, Japan) and I. Murakoshi (Chiba, Japan) (Received September 13th, 1988) . . . . . 333

Improved method for amino acid analysis of stained collagen bands from polyacrylamide gels using high-performance liquid chromatography
by Y. Hashimoto (Nagoya, Japan) (Received September 7th, 1988) . . . . . 341

Liquid chromatographic determination of domoic acid in shellfish products using the paralytic shellfish poison extraction procedure of the Association of Official Analytical Chemists
by J. F. Lawrence, C. F. Charbonneau and C. Ménard (Ottawa, Canada) and M. A. Quilliam and P. G. Sim (Halifax, Canada) (Received October 13th, 1988) . . . . . 349

High-performance liquid chromatographic method for the simultaneous analysis of α-solanine and α-chaconine in potato plants cultured *in vitro*
by K. Kobayashi, A. D. Powell, M. Toyoda and Y. Saito (Tokyo, Japan) (Received September 9th, 1988) . . . . . 357

*Notes*

Characterization of the direct-probe open-tubular liquid chromatography–mass spectrometry interface parameters
by J. S. M. De Wit and K. B. Tomer (Research Triangle Park, NC, U.S.A.) and J. W. Jorgenson (Chapel Hill, NC, U.S.A.) (Received September 19th, 1988) . . . . . 365

Modified column system for pyrolysis capillary gas chromatography
by H. Liu, R. Fu, Z. Guan and L. Tian (Beijing, China) (Received September 20th, 1988) 376

(*R*)-N-(3,5-Dinitrobenzoyl)-1-naphthylglycine as a chiral stationary phase for the separation of enantiomers by high-performance liquid chromatography
by N. Ôi, H. Kitahara, Y. Matsumoto, H. Nakajima and Y. Horikawa (Osaka, Japan) (Received September 20th, 1988) . . . . . 382

Comparison of capillary gas chromatography with $^{1}H$ and $^{13}C$ nuclear magnetic resonance spectroscopy for the quantitation of pyrrolizidine alkaloids from *Senecio vernalis*
by L. A. Pieters (Antwerp, Belgium), T. Hartmann (Braunschweig, F.R.G.) and J. Janssens and A. J. Vlietinck (Antwerp, Belgium) (Received September 27th, 1988) . . . . . 387

Gas chromatographic determination of phenols in waste water–oil emulsions
by M. M. Kopečni, M. V. Tarana, S. D. Čupić and J. J. Čomor (Belgrade, Yugoslavia) (Received August 27th, 1988) . . . . . 392

Stability-indicating high-performance liquid chromatography assay for bepridil hydrochloride drug substance and drug products
by N. L. Renzi, M. E. Fronheiser, H. T. Duong and D. J. Fulton (Spring House, PA, U.S.A.) and M. Rabinowitz (Cranbury, NJ, U.S.A.) (Received October 18th, 1988) . . . . . 398

High-performance liquid chromatographic determination of citrinin in cereals using an acid-buffered silica gel column
by B. Zimmerli, R. Dick and U. Baumann (Berne, Switzerland) (Received September 1st, 1988) . . . . . 406

*(Continued overleaf)*

*Contents (continued)*

Characterization and purification of iron porphyrins by high-performance liquid chromatography and column chromatography
by D. W. Dixon, L. Amis and M. S. Kim (Atlanta, GA, U.S.A.) and J. Callahan (St. Louis, MO, U.S.A.) (Received October 25th, 1988) . . . . . 411

Confirmation of domoic acid in molluscan shellfish by chemical derivatization and reversed-phase liquid chromatography
by J. F. Lawrence, C. F. Charbonneau, B. D. Page and G. M. A. Lacroix (Ottawa, Canada) (Received October 4th, 1988) . . . . . 419

Determination of morpholinosulphenylbenzothiazole by high-performance liquid chromatography
by M. Petro and K. Ďulák (Bratislava, Czechoslovakia) (Received October 3rd, 1988) . . 426

High-performance liquid chromatographic determination of ethiofencarb and its metabolic products
by P. Cabras, M. Meloni and A. Plumitallo (Cagliari, Italy) and M. Gennari (Torino, Italy) (Received September 29th, 1988) . . . . . 430

Dosage du dihydrosafrole dans le butoxyde de pipéronyle par chromatographie liquide haute performance
par J. Pastor, A. M. Pauli et E. Schreiber-Deturmeny (Marseille, France) (Reçu le 4 octobre 1988) . . . . . 435

Assay for the main phallotoxins in *Amanita phalloides* Fr. by direct fluorimetry on thin-layer plates
by F. Enjalbert, M. J. Bourrier and C. Andary (Montpellier, France) (Received September 23rd, 1988) . . . . . 442

Determination of cholinesterase-inhibiting pesticides and some of their metabolites in cases of animal poisoning using thin-layer chromatography
by P. E. F. Zoun and Th. J. Spierenburg (Lelystad, The Netherlands) (Received September 26th, 1988) . . . . . 448

Preparative separation of the enantiomers of the cholecystokinin antagonist (3*S*)-(±)-N-(2,3-dihydro-1-([$^3H_3$]-methyl)-2-oxo-5-phenyl-1H-1,4-benzodiazepine-3-yl)-1H-indole-2-carboxamide by high-performance liquid chromatography
by J. F. Denissen (Abbott Park, IL, U.S.A.) (Received September 14th, 1988) . . . . . 454

Resolution of *rac*-1,2-halohydrins by chiral complexation gas chromatography
by N. N. Joshi and M. Srebnik (West Lafayette, IN, U.S.A.) (Received October 25th, 1988) 458

Analysis of vanilla essences by high-performance liquid chromatography
by A. W. Archer (Lidcombe, Australia) (Received October 20th, 1988) . . . . . 461

Chromatographic separation of cholesteryl acetate and its chloro analogues
by H. K. Bhat and G. A. S. Ansari (Galveston, TX, U.S.A.) (Received October 12th, 1988) 467

Sensitive detection of unsaturated disaccharides from chondroitin sulphates by thin-layer chromatography as their dansylhydrazine derivatives
by K. Shinomiya, Y. Hoshi and T. Imanari (Chiba, Japan) (Received September 23rd, 1988) 471

*Book Reviews*

Methods in molecular biology, Vol. 3, New protein techniques and Vol. 4, New nucleic acid techniques (edited by J. M. Walker) . . . . . 475

Chromatography '87 (Symposia Biologica Hungarica, Vol. 37) (edited by H. Kalász and L. S. Ettre) 478

*Author Index* . . . . . 479

*Erratum* . . . . . 482

In articles with more than one author, the name of the author to whom correspondence should be addressed is indicated in the article heading by a 6-pointed asterisk (*)